651/652/653

Repair Kits and Service Parts - Spare Parts Kits						
		Description	Series	Kit Number		
	9		651	M651AU434133001		
		Polycarbonate Bowl & Bowl Guard - Includes NBR Bowl Seal for Filters, Filter/Regulators and Lubricators (Electronic Liguid Level Indicator only)	652	M652AU440511001		
			653	M653AU507439001		
			651	M651AU434133008		
		Polycarbonate Bowl & Bowl Guard - Includes NBR Bowl Seal for Lubricators	652	M652AU440511008		
			653	M653AU507439006		
			651	M651AU434133002		
		Metal bowl without sight gauge. Includes NBR Bowl Seal	652	M652AU440511002		
D +			653	M653AU507439002		
Bowls*			651	M651AU434133011		
		Metal bowl without sight gauge. Includes FKM Bowl Seal	652	M652AU440511011		
			653	M653AU507439005		
		Metal bowl with borosilicate (glass) sight gauge. Includes NBR Bowl Seal	651	M651AU434133004		
			652	M652AU440511004		
			653	M653AU507439004		
			651	M651AU434133015		
		Metal bowl with borosilicate (glass) sight gauge. Includes FKM Bowl Seal	652	M652AU440511015		
			653	M653AU507439013		
		Metal bowl without sight gauge. Includes NBR Bowl Seal	653	M653AU507439002		
High Pressure		Metal bowl without sight gauge. Includes FKM Bowl Seal	653	M653AU507439005		
Bowls	0	Metal bowl with borosilicate (glass) sight gauge. Includes NBR Bowl Seal	653	M653AU507439004		
		Metal bowl with borosilicate (glass) sight gauge. Includes FKM Bowl Seal.	653	M653AU507439013		
High	-	Metal bowl without sight gauge. Includes NBR Bowl Seal. (Coalescing Filter and Filter/Regulator High Flow)	653	M653AU523308001		
Flow Bowls		Metal bowl without sight gauge. Includes FKM Bowl Seal. (Coalescing Filter and Filter/Regulator High Flow)	653	M653AU523308002		

* For lubricator replacement metal bowls, please also order bowl plug p/n M699AQ440512001. This is not required if the Electronic Liquid Level Indicator is used.



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Repair Kits and Service Parts - Spare Parts Kits							
		Description	Series	Kit Number			
		Drain Plug Assembly. Provides an option to customers that do not want to use a bowl drain. Includes NBR Bowl Seal.	651 652 653	M699AQ440512001			
		Semi-Automatic/Manual Drain Assembly - with NBR seals. This normally open drain can be used as a manual drain or set to semi-automatic, which will drain the bowl upon a loss of system pressure. Drain material is plastic.	651 652 653	M699AQ440512002			
		Semi-Automatic/Manual Drain Assembly - with FKM seals. This normally open drain can be used as a manual drain or set to semi-automatic, which will drain the bowl upon a loss of system pressure. Drain material is plastic.	651 652 653	M699AQ440512007			
	9	Manual Stainless Steel Drain Assembly - with NBR seals. Provides the user with an alternative to the plastic semi-automatic drain.	651 652 653	M699AQ440512003			
Drains	T	Manual Stainless Steel Drain Assembly - with FKM seals. Provides the user with an alternative to the plastic semi-automatic drain.	651 652 653	M699AQ440512008			
		Automatic Drain Assembly - Normally Open - with NBR seals. This drain uses a float that initiates the bowl to drain when the liquid rises. In addition, all fluid will drain when the pressure drops below 22 PSI. Drain material is brass. This drain can also be operated manually.	651 652 653	M699AQ501862001			
		Automatic Drain Assembly - Normally Closed - with NBR seals. When under pressure this drain uses a float that initiates the bowl to discharge when the liquid rises. When not under pressure the drain is closed. Drain material is brass. This drain can also be operated manually.	651 652 653	M699AQ501862002			
		Pulse Drain - with NBR seals. The diaphragm in this drain pulses when there is a pressure differential such as a valve cycling or cylinder stroking downstream. This action flexes the diaphragm and allows the filter to discharge the entrapped water. This drain features an incorporated barbed fitting which fits 3/16 ID tubing for easy discharge of liquid and contaminant.	651 652 653	M699AQ440512015			
	Bowl and Drain Assembly - Includes Polycarbonate Bowl/Guard and Se Drain Assembly (NBR Seals).		651	M651AU514009001			
Bowl & Drain Assembly		Bowl and Drain Assembly - Includes Polycarbonate Bowl/Guard and Semi-Automatic Drain Assembly (NBR Seals).	652	M652AU513311001			
Assembly			653	M653AU514103001			
			651	M651AH507403001			
		U-Cup Seal Kit (NBR Seals). Kit contains 10 U-Cup seals. This seal is used for all bowls.	652	M652AH507085001			
Bowl Seal			653	M653AH514106001			
Kits	\mathbf{O}		651	M651AH507403002			
		U-Cup Seal Kit (FKM Seals). Kit contains 10 U-Cup seals. This seal is used for all bowls.	652	M652AH507085002			
			652	M653AH514106002			
	Augure		651	M651AY524218001			
Side Cover Kits		Blank Side cover Kit with no product identification.	652	M652AY524218002			
Lover Mus			653	M653AY524218003			



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Repair Kits and Service Parts - Spare Parts Kits							
		Description	Series	Kit Number	Color		
			651	M651AE434063001	_		
		5 Micron Particulate Filter Element	652	M652AE433582001	White		
			653	M653AE439490001			
	\bigcirc	25 Micron Particulate Filter Element	651	M651AE434063002	_		
			652	M652AE433582002	Yellow		
-			653	M653AE439490002			
			651	M651AE525276001	_		
		0.3 Micron Coalescing Filter Element	652	EKF22D	Green		
			653	EKF32D	Green		
		0.3 Micron Coalescing Filter Element (High Flow)	653	M653AE516209001			
-		0.01 Micron Coalescing Filter Element	651	M651AE525276003	- Red		
			652	EKF22E			
			653	EKF32E			
Filter		0.01 Micron Coalescing Filter Element (High Flow)	653	M653AE516209003			
Elements		0.3 Micron Coalescing Filter Element - with 3 Micron pre-filter	651	M651AE525276002			
			652	EKF22DD			
			653	EKF32DD	- Green		
		0.3 Micron Coalescing Filter Element - with 3 Micron pre-filter (High Flow)	653	M653AE516209002			
	•		651	M651AE525276004			
		0.01 Micron Coalescing Filter Element - with 3 Micron pre-filter	652	EKF22ED			
			653	EKF32ED	- Red		
		0.01 Micron Coalescing Filter Element - with 3 Micron pre-filter (High Flow)	653	M653AE516209004			
			651	EKF12F			
	9	Adsorber (Activated Carbon) Filter	652	EKF22F			
			653	EKF32F	- White/Cle		
		Adsorber (Activated Carbon) Filter (High Flow)	653	M653AE516209005	1		



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Repair Kits and Service Parts - Spare Parts Kits

	Description			Series	Kit Number
	Description				
	Body-to-Body Assembly Clamps (Includes NBR O-R	(ing). Clam	p material is	651	P651AT504958001
-	aluminum.	'	652	P652AT502466001	
			653	P653AT507291001	
	Body-to-Body Assembly Clamps (Include FKM O-Ri	ng). Clamp	material is	651	P651AT504958003
	aluminum.	-	652	P652AT502466003	
			653	P653AT507291003	
6	Body-to-Body Assembly Clamps (Includes NBR O-Rin			651	P651AT535310001
	includes one bracket and two screws for attaching bracket and two screws for attachin	acket to bo	dy clamp. Clamp	652	P652AT535311001
				653	P653AT535312001
100	Body-to-Body Assembly Clamps (Includes FKM O-Rin			651	P651AT535310002
	includes one bracket and two screws for attaching bra material is aluminum.	acket to boo	dy clamp. Clamp	652	P652AT535311002
				653	P653AT535312002
			1/4 ISO228/1-G	651	T651AT504959002
		NBR	1/2 ISO228/1-G	652	T652AT502468002
12	End Plate Kit: Includes two end plates and body- to-body assembly clamps & O-Ring. End plate material is aluminum.	O-Ring	1 ISO228/1-G	653	T653AT507292002
			1-1/4 ISO228/1-G	653	T653AT507292020
			1/4 ISO228/1-G	651	T651AT504959008
9		FKM O-Ring	1/2 ISO228/1-G	652	T652AT502468008
			1 ISO228/1-G	653	T653AT507292008
			1-1/4 ISO228/1-G	653	T653AT507292026
Do-	Panel Adapter P1 + P2 to mount 651 or 652 product on both side of the panel. Certified NEMA 1,4; IP66.	FKM O-Ring	not threaded	651	T651AT522204001
0 EO				652	T652AT519954001
1000 1000	P2 Panel Adapter to connect P1 inlet to 651 or 652	FKM O-Ring	1/4 ISO228/1-G	651	T651AT522204003
·@. 0. 00	product. Certified NEMA 1,4; IP66.		1/2 ISO228/1-G	652	T652AT519954003
000	P1 Panel Adapter to connect P2 outlet to 651 or 652	FKM	1/4 ISO228/1-G	651	T651AT522204005
0.0.	product. Certified NEMA 1,4; IP66.	O-Ring	1/2 ISO228/1-G	652	T652AT519954005
				651	M651AH536213001
		1	NBR O-Ring	652	M652AH536214001
\bigcap	Kit Contains 10 O-Ring seals for body to body kit.			653	M653AH536215001
\mathcal{O}	All contains to or King sears for body to body Kit.			651	M651AH536213002
		F	KM O-Ring	652	M652AH536214002
				653	M653AH536215002



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Repair Kits and Service Parts - Spare Parts Kits						
	Description	Series	Kit Number			
a the sha	Wall/Panel Bracket Kit includes one bracket and two screws for attaching bracket to body clamp. Two brackets are required for mounting three or more products. One bracket is suitable for mounting two products. Material is aluminum.	651 652 653	P699AT502467001			
651/ 652	Side Mounting Brackets (Includes two brackets): Designed for mounting single		P651AT503860001			
653	products to wall or panel, but is capable of handling up to 3 stations. Material is stainless steel. Recommended only for static applications (without vibration).	652	P652AT503860002			
		653	P653AT503860003			
	Panel Nut: Used for Regulators and Filter-Regulators where adjustment knob is fed through a panel and the panel nut is then used to secure the product to the panel. Material is polyamide.	651	P651AT513928001			
		652	P652AT513177001			
~~~~	Panel Nut & Bracket: The panel nut and bracket are used to mount a Regulator or	651	P651AT503861001			
	Filter/Regulator to a wall or panel. Materials are stainless steel and polyamide.	652	P652AT503861002			
000	651 Adapter Kit for L1 Valve Series	651	M651AY528751001			
	652 Adapter Kit for L2 Valve Series	652	M652AY528750001			



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Repair Kits and Service Parts - Spare Parts Kits						
		Description	Series	Kit Number		
No Gauge		No Gauge Cover Kit - NBR Seal. Includes gauge cover, screw and o-ring	651/652/653	M699AG503396001		
No Gauge		No Gauge Cover Kit - FPM Seal. Includes gauge cover, screw and o-ring	651/652/653	M699AG503396002		
		Integrated Gauge - Series 651/652/653: 0-6 bar Scale with NBR seals	651/652/653	M699AG438047002		
		Integrated Gauge - Series 651/652/653: 0-6 bar Scale with FPM seals	651/652/653	M699AG438047014		
		Integrated Gauge - Series 651/652/653: 0-12 bar Scale with NBR seals	651/652/653	M699AG438047001		
		Integrated Gauge - Series 651/652/653: 0-12 bar Scale with FPM seals	651/652/653	M699AG438047013		
		Integrated Gauge - Series 653: 0-25 bar Scale with NBR seals	651/652/653	M699AG438047003		
		Integrated Gauge - Series 653: 0-25 bar Scale with FPM seals	651/652/653	M699AG438047015		
Integrated gauges*	0	Pressure Range Indicators (Red/Green) for low profile integrated gauges. Desired range can be easily set in the field. This kit allows customers to add the pressure range indicator to existing low profile integrated gauges in the field.	651/652/653	M699AG500179001		
		Integrated Gauge with Pressure Range Indicators - 651/652/653 Series: 0-6 bar Scale with NBR seals	651/652/653	M699AG438047008		
	00	Integrated Gauge with Pressure Range Indicators - 651/652/653 Series: 0-12 bar Scale with NBR seals	651/652/653	M699AG438047007		
	and the second s	Integrated Gauge with Pressure Range Indicators - 653 Series and Shut-off Isolation Valves: 0-25 bar Scale with NBR seals	651/652/653	M699AG438047009		

* Each of the Integrated and Round Gauges are dual scale. The scale that is listed in the description has the units located near the outside of the scale. The other units would be on the inside.

Note: For all pressure switches & round gauges that are added to the 651/652/653 series products in the field, a port plate is required. The port plate can be added at the time of order entry or as a kit.



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



### 651/652/653

Repair Kits and Service Parts - Spare Parts Kits					
		Description	Series	Kit Number	
Digital Gauge		Digital Pressure Gauge - 651/652/653 Series: 0-145 PSI Scale (User can change units: bar, MPa, Kgf/cm²) 1/8" ISO 7/1 Rc	651/652/653	M699AG504650002	
		Round Gauge - 0-4 bar 1/8 ISO 7/1 Rc and 40 mm Face Diameter	651/652/653	34300015	
		Round Gauge - 0-10 bar 1/8 ISO 7/1 Rc and 40 mm Face Diameter	651/652/653	52/653 34300041   52/653 34200063   52/653 34200061	
		Round Gauge - 0-12 bar 1/8 ISO 7/1 Rc and 40 mm Face Diameter	651/652/653	34300041	
		Round Gauge - 0-25 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651/652/653	34200063	
Round Gauges*		Round Gauge - 0-4 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651/652/653	34200061	
		Round Gauge - 0-12 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651/652/653	34200062	
		Round Gauge - 0-16 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651/652/653	34200997	
		Stainless Steel Round Gauge - 0-12 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651/652/653	34303242	
Port Plates	00	Gauge Port Plate Assembly - 1/8 ISO 7/1 Rc	651/652/653	M699AG440510002	
Pressure		DPS280 Pressure Switch/Sensor - NPN M8 with Cable 1/8 ISO 7/1 Rc	651/652/653	DPS280NRQ8	
Switch/Sen- sor		DPS280 Pressure Switch/Sensor - PNP M8 with Cable 1/8 ISO 7/1 Rc	651/652/653	DPS280PRQ8	

* Each of the Integrated and Round Gauges are dual scale. The scale that is listed in the description has the units located near the outside of the scale. The other units would be on the inside.

Note: For all pressure switches & round gauges that are added to the 651/652/653 series products in the field, a port plate is required. The port plate can be added at the time of order entry or as a kit.



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



#### Repair Kits and Service Parts - Spare Parts Kits

Repair Kits and Service Parts - Spare Parts Kits							
		Description	Series	Kit Number			
	ð	Lubricator Dome Repair Kit - NBR seals. Includes dome cover, screw and O-Rings.	651 652 653	M699AY506842001			
Lubricator		Lubricator Dome Repair Kit - FKM seals. Includes dome cover, screw and O-Rings.	651 652 653	M699AY506842002			
Repair Kits		Lubricator Level Switch assembly kit. Includes level switch, stainless steel retainer ring, O-Ring and bushing.	651 652 653	M699AG506837001			
	Y	Lubricator Bowl Plug assembly: Includes Lubricator bowl plug, stainless steel retainer ring and NBR O-Ring.	651 652 653	M699AQ440512001			
	-		651	M651AY570170001			
	I	Particulate Filter Repair Kit - Includes the filter retainer, head baffle, lower end cap and bowl baffle.	652	M652AY506833001			
				M653AY514105001			
		Differential Pressure Pop-Up Indicator (NBR Seals). This is used for the Coalescing Filters to provide visual indication when the filter element needs to be replaced.	651 652 653	M699AG439851001			
Filter Kits	P	Differential Pressure Pop-Up Indicator (FKM Seals). This is used for the Coalescing Filters to provide visual indication when the filter element needs to be replaced.	651 652 653	M699AG439851004			
		DPI Plug (NBR Seals). This is used to plug the top port on the filter when a Differential Pressure Indicator is not used.	651 652 653	M699AG439851002			
		DPI Plug (FKM Seals). This is used to plug the top port on the filter when a Differential Pressure Indicator is not used.	651 652 653	M699AG439851005			
	٢	Electric Differential Pressure Indicator (NBR Seals). This is used for the Coalescing Filter only. It provides a contact that will actuate when the filter element needs to be replaced.	651 652 653	M699AG439851003			



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Repair Kits and Service Parts - Spare Parts Kits							
		Description	Series	Kit Number			
	1		651	M651AY514012001			
	T	Adjusting Screw Repair Kit - Includes adjusting screw, nut, washer and screw.	652	M652AY506952001			
	ų.		653	M653AY514104001			
	i		651	M651AY514012002			
		Key Lockable Adjusting Screw Repair Kit - Includes adjusting screw, adjusting nut, flat washer and screw.	652	M652AY506952002			
	-		653	M653AY514104002			
	I		651	M651AY514012003			
	7	Tamper Resistant Repair Kit - Includes adjusting screw, adjusting nut, flat washers and screws.	652	M652AY506952003			
			653	M653AY514104003			
			651	M651AY519042001			
		Replacement Knob for Regulator or Filter/Regulators.	652	M652AY519042003			
			653	M653AY519042005			
			651	M651AY519042002			
		Replacement Knob for the tamper resistant or key lockable Regulator or Filter/Regulators	652	M652AY519042004			
			653	M653AY519042006			
			651	M651AY507175001			
	4	Poppet Repair Kit (NBR Seals): Includes poppet, stem & seals.	652	M652AY506863001			
	1		653	M653AY507270001			
	富	Poppet Repair Kit (FKM Seals): Includes poppet, stem & seals.	651	M651AY507175002			
	IMI		652	M652AY506863002			
			653	M653AY507270002			
Regulator & Filter		Diaphragm Assembly Repair Kit (Pilot Operated Regulator NBR Seals).	652	M652AH435268001			
Regulator Kits		Diaphragm Assembly Repair Kit (Pilot Operated Regulator FKM Seals).	652	M652AH435268002			
		Diaphragm Assembly Repair Kit (Relieving Regulator NBR Seals)	651	M651AH504954001			
			652	M652AH434213001			
	10 PT		653	M653AH502120001			
			651	M651AH504954002			
		Diaphragm Assembly Repair Kit (Relieving Regulator FKM Seals)	652	M652AH434213002			
			653	M653AH502120002			
	<u> </u>		651	M651AH504954003			
		Diaphragm Assembly Repair Kit (Non-relieving Regulator NBR Seals)	652	M652AH434213003			
			653	M653AH502120003			
	I LINE I I	Diaphragm Assembly Repair Kit (Non-relieving Regulator - FKM Seals)	651 652	M651AH504954004 M652AH434213004			
			653	M653AH502120004			
			651	M651AY514010001			
		Main Spring (3 bar)	652	M652AY513313001			
			653	M653AY516711001			
	0	Main Spring (4 bar)	651 652	M651AY504691001 M652AY438708001			
	S		653	M653AY516710001			
	S		651	M651AY504692001			
	9	Main Spring (8 bar)	652	M652AY438709001			
			653	M653AY516709001			
		Main Spring (10 bar)	651 652	M651AY514011001 M652AY513314001			
			652	M653AY516708001			



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Repair Kits and Service Parts - Spare Parts Kits							
		Description	Series	Part/Kit Number			
		Horizontal Solenoid Operator (190) - With Impulse Manual Operator	651 652	19090017			
		Horizontal Solenoid Operator (190) - Without Manual Override	651 652	19090005			
		24 VDC coil with 3 Pin M12 Connection, for 190 Pilot Horizontal Solenoid Operator	651 652	43005525			
		24 VDC coil with DIN Spade connection for 190 Pilot Horizontal Solenoid Operator	651 652	43004473			
	Ter.	120 VAC coil with DIN Spade connection for 190 Pilot Horizontal Solenoid Operator	651 652	43004471			
		24 VAC coil with DIN Spade connection for 190 Pilot Horizontal Solenoid Operator	651 652	43004469			
		240 VAC coil with DIN Spade connection for 190 Pilot Horizontal Solenoid Operator	651 652	43004472			
		DIN Connector, without LED - 190 Pilot Horizontal Solenoid Operator	651 652	88122602			
		DIN Connector, with LED, for 24 VAC/DC coil - 190 Pilot Horizontal Solenoid Operator	651 652	88122603			
3/2 Slow		DIN Connector, with LED, for 120 VAC coil - 190 Pilot Horizontal Solenoid Operator	651 652	88122605			
Start/ Quick Exhaust		DIN Connector, with LED, for 240 VAC coil - 190 Pilot Horizontal Solenoid Operator	651 652	88122608			
Valve Kits		Vertical Solenoid Operator (189) - Without Manual Override	651 652	18990007			
		24 VDC coil with 3 Pin M12 Connection, for 189 Pilot Vertical Solenoid Operator	651 652	43005523			
		24 VDC coil with DIN Spade connection for 189 Pilot Vertical Solenoid Operator	651 652	43004166			
	-	120 VAC coil with DIN Spade connection for 189 Pilot Vertical Solenoid Operator	651 652	43004419			
		24 VAC coil with DIN Spade connection for 189 Pilot Vertical Solenoid Operator	651 652	43004416			
		240 VAC coil with DIN Spade connection for 189 Pilot Vertical Solenoid Operator	651 652	43004422			
	E.	DIN Connector, without LED - 189 Pilot Vertical Solenoid Operator	651 652	88122404			
		DIN Connector, with LED, for 24 VAC/DC coil - 189 Pilot Vertical Solenoid Operator	651 652	88122405			
		DIN Connector, with LED, for 120 VAC coil - 189 Pilot Vertical Solenoid Operator	651 652	88122407			
		DIN Connector, with LED, for 240 VAC coil - 189 Pilot Vertical Solenoid Operator	651 652	88122410			



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Repair Kits and Service Parts - Spare Parts Kits						
		Description	Series	Part/Kit Number		
		Horizontal Solenoid Operator (192) - With Impulse Manual Operator	653	19291012		
		Horizontal Solenoid Operator (192) - Without Manual Override	653	19291010		
		24 VDC coil with 3 Pin M12 Connection, for 192 Pilot Horizontal Solenoid Operator	653	43005664		
		24 VDC coil with DIN Spade connection for 192 Pilot Horizontal Solenoid Operator	653	43005642		
	61 °	115 VAC/120 VAC coil with DIN Spade connection for 192 Pilot Horizontal Solenoid Operator	653	43005617		
3/2 Slow Start/ Quick Exhaust Valve Kits		24 VAC coil with DIN Spade connection for 192 Pilot Horizontal Solenoid Operator	653	43005604		
Valve Rits		230 VAC/240 VAC coil with DIN Spade connection for 192 Pilot Horizontal Solenoid Operator	653	43005627		
		DIN Connector, without LED - 192 Pilot Horizontal Solenoid Operator	653	88122602		
		DIN Connector, with LED, for 24 VAC/DC coil - 192 Pilot Horizontal Solenoid Operator	653	88122603		
		DIN Connector, with LED, for 115 VAC/120 VAC coil - 192 Pilot Horizontal Solenoid Operator	653	88122605		
		DIN Connector, with LED, for 230 VAC/240 VAC coil - 192 Pilot Horizontal Solenoid Operator	653	88122608		
Jumper Plate Kit	an er	Jumper Plate Kit: For Air Operated Internally Piloted 3/2 Slow Start-QE Valve	651 652 653	M699AY513316001		
Pilot Port Plate		Pilot Port Plate: For Air Operated Externally Piloted 3/2 Slow Start-QE Valve, 1/8 ISO 7/1 Rc	651 652 653	M699AY513318001		
		Pilot Port Plate: For Air Operated Externally Piloted 3/2 Slow Start-QE Valve, 1/8 NPTF	651 652 653	M699AY513318002		



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com



Accessories						
		Description	Series	Part Number		
Scissor Lock	O	Scissor Lock for Shut Off Isolation Valve & Lockout Valve	651 652 653	VB-1		
		Metal Muffler – G 1/4 (Shut Off Isolation Valves & Slow Start/Quick Exhaust Valves)	651 652	M2MB		
		Metal Muffler – G 3/8 (Shut Off Isolation Valves & Slow Start/Quick Exhaust Valves)	653	МЗМВ		
Mufflers/Silencers		Metal Muffler – G 1/2 (Slow Start/Quick Exhaust & Lockouts)	652	M4MB		
Mumerspinencers		Metal Muffler – G 1 (Slow Start/Quick Exhaust & Lockouts)	653	M6MB		
		Polyethylene Muffler – G 1/4 (Shut Off Isolation Valve)	651 652	34600407		
		Polyethylene Muffler – G 3/8 (653 - Shut Off Isolation Valve)	653	34600408		
Key Locking Device		Key Lock for Regulator and Filter/Regulator supplied seperately with 2 keys	651 652 653	M699AY438663001		



Pneutrol International Limited UK Office 5 Caulside Drive, Antrim, BT41 2DU United Kingdom TEL: +44 (0) 289448 1808 www.valves-direct.com

