

Series QR2-S, standard

- Elbow fitting, rotatable
- External thread
- M5 G 1/8 G 1/4 G 3/8 G 1/2
- push-in fitting
- Ø 4 Ø 6 Ø 8 Ø 10 Ø 12 Ø 14
- QR2-S-RLT



Working pressure min./max.	-0,95 ... 16 bar
Ambient temperature min./max.	-20 ... 80 °C
Weight	See table below

Technical data

Part No.	Port G	Port D	Delivery unit	Weight
1823391825	M5	Ø 4	10 piece	0,015 kg
1823391826	G 1/8	Ø 4	10 piece	0,023 kg
1823391827	G 1/8	Ø 6	10 piece	0,023 kg
1823391828	G 1/8	Ø 8	10 piece	0,029 kg
1823391829	G 1/4	Ø 4	10 piece	0,028 kg
1823391830	G 1/4	Ø 6	10 piece	0,031 kg
1823391831	G 1/4	Ø 8	10 piece	0,037 kg
1823391832	G 1/4	Ø 10	10 piece	0,044 kg
1823391836	G 1/4	Ø 12	5 piece	0,054 kg
1823391833	G 3/8	Ø 8	10 piece	0,045 kg
1823391834	G 3/8	Ø 10	10 piece	0,047 kg
1823391835	G 3/8	Ø 12	5 piece	0,058 kg
1823391837	G 1/2	Ø 14	5 piece	0,092 kg

Weight per piece

Technical information

The series QR1 (plastic) and QR2 (metal) can not be combined
Thread seal with captive O-ring

For further information about assembling and tolerances of adaptable tubing can be found in the "Technical information" document (available in the MediaCentre).


Technical information

Material

Housing	Brass, nickel-plated
Seal	Acrylonitrile butadiene rubber
Tooth lock washer	Stainless steel
Release ring	Brass, nickel-plated
Thread	Brass, nickel-plated

Dimensions

Dimensions



Dimensions

Part No.	Port D	Port G	Ø B	Ø E	H	L	L1	SW
1823391825	Ø 4	M5	8	9	4	20	19	9
1823391826	Ø 4	G 1/8	12.8	9	5.8	18.5	17.5	13
1823391827	Ø 6	G 1/8	12.8	11	5.8	18.5	21	13
1823391828	Ø 8	G 1/8	12.8	13	5.8	20.5	23	13
1823391829	Ø 4	G 1/4	15.8	9	8	22.5	19	16
1823391830	Ø 6	G 1/4	15.8	11	8	22.5	21	13
1823391831	Ø 8	G 1/4	15.8	13	8	22.5	24	13
1823391832	Ø 10	G 1/4	15.8	15	8	24.5	27	16
1823391836	Ø 12	G 1/4	15.8	17	8	24.5	27	16
1823391833	Ø 8	G 3/8	20	13	9	25.5	24	13
1823391834	Ø 10	G 3/8	20	15	9	24.5	25.5	16
1823391835	Ø 12	G 3/8	20	17	9	26.5	27	18
1823391837	Ø 14	G 1/2	25	20	11	30.5	31	21

UK Office
5 Caulside Drive
Antrim
BT41 2DU
United Kingdom
+44 (0) 28 9448 1808

European Office
Unit 6, Saint Anthony's Business Park
Dublin
D22 VW95
Ireland
+353 (0) 1 4373653

